

I. Identification of Substance & Company

Product

Product name Natural All Purpose Cleaner Product code NAPC/1, NAPC/5, NAPC/20

HSNO approval HSR002530

Approval description Cleaning Products (Subsidiary Hazard) Group Standard 2006

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses general purpose cleaner

Company Details

Company GreenEarth Solutions Ltd

Address PO Box 64-125

Botany

Auckland 2163 New Zealand 0064 9 272 4141

Telephone0064 9 272 4141Emailmail@greenearth.co.nzWebsitewww.greenearth.co.nz

Emergency Telephone Number: 09 272 4141

2. Hazard Identification

Approval

This product has been approved under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2006), and is classified as follows:

Classes 6.4A Hazard Statements

0.44001.0

H319 - Causes serious eye irritation.

SYMBOLS

WARNING



Other Classifications

There are no other Classifications that are known to apply.

Precautionary Statements

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)	
Grain sugar derived alcohol	64-17-5	1-10%	
Coconut derived surfactant	proprietary	1-10%	
Ingredients not contributing to HSNO classes including water, dye, lemon fragrance	mixture	balance	

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.



4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency

service).

Recommended first aid

facilities

Ready access to running water is recommended.

Exposure

Swallowed

Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor if concerned..

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contactInhaled
This product is non-irritating to skin. No further measures should be required.
Generally, inhalation of vapours is unlikely to result in adverse health effects. If

Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

Unsuitable extinguishing

substances:

Products of combustion:

Protective equipment:

Hazchem code:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

No special measures are required.

6. Accidental Release Measures

Containment In all cases design storage to prevent discharge to storm water.

Emergency procedures If a significant spill (>1000L) occurs:

Stop leak if safe/necessary; Isolate area. Collect spill – see below; Transfer to container

for disposal. Dispose of according to guidelines below (Section 13).

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions No special protective clothing is normally necessary.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat. Avoid contact with incompatible substances as listed in Section 10. Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

Handling



Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace **Exposure Stds** Ingredient ethanol

WES-TWA*

WES-STEL

(2016)

1000ppm, 1880mg/m³

data unavailable

* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible or if handling this substance in bulk.

Skin

Respiratory

Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time. A respirator when airborne concentrations approach the WES (section 8). Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order.

WES Additional Information

Not applicable

Physical & Chemical Properties

Appearance green liquid Odour lemon odour Ha no data Vapour pressure no data **Viscosity** no data **Boiling point** ~100°C Volatile materials no data Freezing / melting point no data

Solubility soluble in water Specific gravity / density ~1.0g/ml Flash point not applicable Danger of explosion not explosive **Auto-ignition temperature** no data **Upper & lower flammable limits** no data Corrosiveness non corrosive

10. Stability & Reactivity

Stability

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Incompatible groups Strong bases, strong oxidisers (e.g. bleach)

Substance Specific none known

Incompatibility

Hazardous decomposition

products

Hazardous reactions

Oxides of carbon

none known



11. Toxicological Information

Summary

IF SWALLOWED: large amounts may cause gastrointestinal irritation, vomiting and diarrhoea.

IF IN EYES: may cause irritation.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: water n/a, Ethanol >5000mg/kg

Dermal Using LD₅₀'s for ingredients, the calculated LD₅₀ (dermal, rat) for the mixture is >5000

mg/kg. Data considered includes: water n/a, Ethanol >5000mg/kg.

Inhaled Using LC₅₀'s for ingredients, the calculated LC₅₀ (inhalation, rat) for the mixture is >5,000

ppm. Data considered includes: water n/a, Ethanol >5000ppm.

EyeThe mixture is considered to be an eye irritant. **Skin**The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known. existing conditions

12. Ecological Data

Summary

This mixture is not considered ecotoxic, however do prevent entry to waterways.

Supporting Data

Aquatic No evidence of ecotoxicity towards aquatic organisms.

Bioaccumulation No data
Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrateThis mixture is not considered harmful towards terrestrial vertebrates

Terrestrial invertebrate No evidence of ecotoxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the requirements of the Resource Management

Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the

environment.

Contaminated packaging Rinse containers with water before disposal. Preferably re-cycle container, otherwise

send to landfill or similar.

14. Transport Information

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:Not applicable.Hazchem code:NA



15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2006.

Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing > 50L.

Labelling No removal of labels and/or decanting of product into other containers car

Emergency plan Not required. Approved handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location test certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

	-	-				
y a vi	2		rev	76	TA	ne
	197	97	- A	11 C = L	H Lay	

Approval Code Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2006

Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls Matrix List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).

EC50 Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.



References

Unless otherwise stated comes from the EPA HSNO chemical classification information Data

database (CCID).

EPA Transfer Gazettes Classifications and controls assigned for specific ingredients (consolidated gazette, 2004) **WES 2016**

The NZ Workplace Exposure Standards Effective from 2016, published by WorkSafe NZ

and available on their web site - www.worksafe.govt.nz.

WES 2002 Workplace Exposure Standards published by the Occupational Safety and Health

Service, Department of Labour, January 2002, ISBN 0-477-03660-0. These are the WES

referred to under the Group Standard (HSNO approval) and may constitute a PES.

Other References: Suppliers SDS

Review

Date Reason for review May 2017 Not applicable - new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

